

HIRI-MSM Risk Index*			
1	How old are you today (yrs)?	<18 years	score 0
		18–28 years	score 8
		29–40 years	score 5
		41–48 years	score 2
		≥49 years	score 0
2	How many men have you had sex with in the last 6 months?	>10 male partners	score 7
		6–10 male partners	score 4
		0–5 male partners	score 0
3	In the last 6 months, how many times did you have receptive anal sex (you were the bottom) with a man?	1 or more times	score 10
		0 times	score 0
4	How many of your male sex partners were HIV positive?	>1 positive partner	score 8
		1 positive partner	score 4
		<1 positive partner	score 0
5	In the last 6 months, how many times did you have insertive anal sex (you were the top) with a man who was HIV positive?	5 or more times	score 6
		0 times	score 0
6	In the last 6 months, have you used methamphetamines such as crystal or speed?	Yes	score 5
		No	score 0
7	In the last 6 months, have you used poppers (amyl nitrate)?	Yes	score 3
		No	score 0
Add down entries in right column to calculate total score			Total score†

*To identify sexually active MSM in their practice, we recommend clinicians ask all their male patients a routine question: “In the past (time) have you had sex? (if yes), with men, women, or both?”

†If score is 10 or greater, evaluate for PrEP or other intensive HIV prevention services; If score is 9 or less, provide indicated standard HIV prevention services.